

HEYUAN CITY WINGART ENTERPRISES CO.LTD

SAFETY DATA SHEET (According to GHS fourth Revised Edition)

1) Substance Identification and Company Information	
Product Name:	Acrylic Paint
Version #:	Version#2
Issuing Date:	Jan. 22, 2024
CAS#	Mixtures
Supplier\Manufacturer:	F411323
Importer:	Name: MAPED FRANCE Street: 530 Route de Pringy - 74370 Argonay Country: France Telephone: +33 (0)4 50 27 26 85 E-mail: contact@maped.fr
Finished product ref# and name as listed	907083'NUMBER'ART CAT/RABBIT 907084 NUMBER'ART DOG/FOX 907085 NUMBER'ART JUNGLE PARROT/BIRD 907086 NUMBER'ART JUNGLE LEOPARD/BUTTERFLY 907087 NUMBER'ART KAWAI FOOD SALTY 907088 NUMBER'ART KAWAI FOOD SWEET

2) Identified Hazards: as per OSHA Hazard Communication Standards 2012 (29 CFR 1910.1200)	
Skin Corrosion/Irritation:	Not irritating.
Eye Irritation/Damage:	Not irritating.
Mucus Membrane Hazards:	Not irritating.
Inhalation Irritation:	Not irritating.
Carcinogenicity: :	IARC: Not covered , NTP: Not covered, OSHA : Not covered
Mutagenicity: :	No evidence of harmful effects from available information.
Reproduction Hazards:	No evidence of harmful effects from available information.
Emergency Overview	
Signal Word:	Not required
Pictogram by GHS/CLP:	Not required

HEYUAN CITY WINGART ENTERPRISES CO.LTD

SAFETY DATA SHEET (According to GHS fourth Revised Edition)

Appearance:	Colorful.
Physical State:	Liquid
Odor:	Odorless
Precautionary Statements – Prevention:	None should be required
Precautionary Statements – General Advice:	None should be required
Precautionary Statements – Eyes:	None should be required
Precautionary Statements – Skin:	None should be required
Storage:	Store in a cool ,Dry place . Keep container closed when not in use .
Disposal:	Residues and wastes are to be brought to an designated site.
Classification: This chemical is not considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)	
Label Elements: The product contains no substances which at their given concentration, are considered to be hazardous to health.	

3) Ingredient and Composition Information				
Chemical Composition	Chemical Name	CAS Number	Weight(%)	Trade Secret
	Water	7732-18-5	39.412-54.412	
	Aquous Acrylic Emulsion	25852-37-3	20	
	Propylene Glycol	57-55-6	3.2	
	1,3-Dimethylol-5,5-dimethylhydantoin	6440-58-0	0.159	
	Calcium Carbonate	471-34-1	5.00	
	Kaolin	1332-58-7	5	
	Mica	12001-26-2	20.82	
	Titanium Dioxide	13463-67-7	0.1-0.8	
	Bronopol	52-51-7	0.009	

HEYUAN CITY WINGART ENTERPRISES CO.LTD

SAFETY DATA SHEET (According to GHS fourth Revised Edition)

	Pigment (Mixed)	Orange13 3520-72-7/ Pigment violet23 6358-30-1/ Carbon black 1333-86-4/ Pigment Red170 2786-76-7/ Pigment Yellow 74 6358-31-2 / Pigment Blue 15 147-14-8/ Pigment Red 254 84632-65-5/ Pigment Red 122 980-26-7/ Pigment Green 7 1328-53-6/ Pigment Red 112 6535-46-2	0.05-5.0	
	Hydroxyethyl Cellulose	9004-62-0	0.6	

4) First Aid Measures

Eye Contact:	Flush eyes with plenty of water.
Skin Contact:	Wash skin with soap and water .
Inhalation:	None should be required
Ingestion:	None should be required
Most Important Side Effect – Acute:	None
Most Important Side Effect – Delayed:	None
Special Medical Treatment Required:	Not toxic . On complaints treat symptomatically and supportively .

5) Firefighting Measures

Suitable Extinguishing Media:	Carbon dioxide or dry chemical media
Unsuitable Extinguishing Media:	None
Specific Hazards Arising from Chemical:	No further relevant information available
Protective Equipment for Firefighters:	Use self-contained breathing apparatus when fighting fires in enclosed areas.

6) Accidental Release Measures

Personal Precautions:	Ventilate, Avoid contact with eyes.
Protective Equipment:	Do not allow to enter sewers/ surface or groundwater.
Emergency Procedures:	Major spills should be collected for disposal.

HEYUAN CITY WINGART ENTERPRISES CO.LTD

SAFETY DATA SHEET (According to GHS fourth Revised Edition)

Containment Methods\Clean Up Methods:	Clean up in accordance with all applicable regulations. Containers with collected spillage must be properly labeled with correct contents and hazard symbol.
---	--

7) Handling and Storage	
Handling:	Precautions for safe handling Keep receptacles tightly sealed. Keep away from heat and direct sunlight. Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols.
Storage:	Conditions for safe storage, including any incompatibilities · Requirements to be met by storerooms and receptacles: Store in a cool location. Store only in the original receptacle. · Information about storage in one common storage facility: Store away from foodstuffs. Store away from oxidizing agents. · Further information about storage conditions: Store in cool, dry conditions in well sealed receptacles.
Incompatible Products:	No further relevant information available

8) Exposure Controls and Personal Protection	
Exposure Guidelines:	This product does not contain any hazardous materials with occupational
Engineering Controls:	Eyewash stations\Ventilation systems
Eye and Face Protection:	No special protective equipment required.
Skin and Body Protection:	No special protective equipment required.
Respiratory Protection:	No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required.
Hygiene Measures:	In accordance with good industrial hygiene and safety practice.

9) Physical and Chemical Properties

HEYUAN CITY WINGART ENTERPRISES CO.LTD

SAFETY DATA SHEET (According to GHS fourth Revised Edition)

Appearance:	Colorful.
Physical State:	Liquid
Odor:	Odorless
pH:	No data available
Melting Point:	Not Applicable
Boiling Point:	100°C
Flash Point:	Not Applicable(aqueous system)
Evaporation Rate:	Is slower than Butyl Acetate (Butyl acetate = 1)
Flammability:	Not Applicable(aqueous system)
Upper Flammability Limit:	Not Applicable(aqueous system)
Lower Flammability Limit:	Not Applicable(aqueous system)
Vapor Pressure:	Same as water
Vapor Density:(air=1)	SPECIFIC GRAVITY (H2O=1): 1.1
Relative Density:	No data available
Specific Gravity:	No data available
Water Solubility:	Dilutable
Solubility in Other Solvent:	No information available
Partition Coefficient – N-Octanol Water:	No data available
Autoignition Temperature:	Not Applicable(aqueous system)
Decomposition Temperature:	Not Applicable(aqueous system)
Viscosity:	5000~8000
Flammable Properties:	Not Applicable(aqueous system)
Explosive Properties:	Not Applicable(aqueous system)
Oxidizing Properties:	No data available
VOC Content:	None

10) Stability and Reactivity	
Reactivity:	No decomposition if used according to specifications
Chemical Stability:	Stable under recommended storage conditions
Possible Hazardous Reactions:	Hazardous chemical reaction does not occur
Conditions to Avoid:	Not Application
Incompatible Materials:	Not Application

HEYUAN CITY WINGART ENTERPRISES CO.LTD

SAFETY DATA SHEET (According to GHS fourth Revised Edition)

Hazardous Decomposition Products:	No dangerous decomposition products known.
-----------------------------------	--

11) Toxicological Information				
Product Information:	Information on analogous product shows minimal toxicity concerns.			
Inhalation:	No harmful effects expected.			
Eye Contact:	No harmful effects expected.			
Skin Contact:	No harmful effects expected.			
Ingestion:	No harmful effects expected.			
Component Information:	Chemical Name	LD50 Oral	LD50 Dermal	LD50 Inhalation
	No further relevant information available			
Symptoms:	Massive ingestion may cause mild gastrointestinal irritation.			
Immediate and Delayed Effects from Short Term and Long Term Exposure				
Skin Corrosion/Irritation:	No harmful effects expected.			
Eye Damage/Irritation:	May cause eye irritation			
Sensitization:	No evidence of harmful effects from available information.			
Mutagenic Effects:	No evidence of harmful effects from available information.			
Carcinogenicity:	No information available ,not listed by ACGIH, IARC,NTP,or CA Prop65.			
Numerical Measures of Toxicity – Product				
LD50 Oral:	No further relevant information available			
LD50 Dermal:				
LD50 Inhalation:				

12) Ecological Information	
Eco-toxicity:	On appropriate handling and use as intended in our experience and on current information the product doesn't cause any adverse effects to the environment .
Persistence and Degradability:	No further relevant information available
Bioaccumulation:	No further relevant information available
Other Adverse Effects:	No further relevant information available

13) Disposal Considerations

HEYUAN CITY WINGART ENTERPRISES CO.LTD

SAFETY DATA SHEET (According to GHS fourth Revised Edition)

Waste Disposal Methods:	This material, as supplied, is not a hazardous waste according to Federal regulations (40 CFR 261). This material could become a hazardous waste if it is mixed with or otherwise comes in contact with a hazardous waste, if chemical additions are made to this material, or if the material is processed or otherwise altered. Consult 40 CFR 261 to determine whether the altered material is a hazardous waste. Consult the appropriate state, regional, or local regulations for additional requirements.
Contaminated Packaging:	Dispose of in accordance with local regulations

14) Transport Information	
DOT:	Not restricted
TDG:	Not restricted
MEX:	Not restricted

15) Regulatory Information		
TSCA:	Complies	
DSL:	Not determined	
NDSL:	Not determined	
US Federal Regulations:	Complies	
SARA 311/312 Hazard Categories: SARA311/312 Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.	Acute Health Hazard	No
	Chronic Health Hazard	No
	Fire Hazard	No
	Sudden Release of Pressure Hazard	No
	Reactive Hazard	No
Clean Water Act:	This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR122.42).	
CERCLA:	This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation	

HEYUAN CITY WINGART ENTERPRISES CO.LTD

SAFETY DATA SHEET (According to GHS fourth Revised Edition)

	and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.
California Proposition 65:	This product does not contain any Proposition 65 chemicals.
US EPA Label Information:	No hazardous labeling is required.

16) Other Information

DISCLAIMER OF LIABILITY :

The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness.

The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge.

For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product.

This SDS was prepared and is to be used only for this product. If the product is used as a component in another product, this SDS information may not be applicable.

Prepared By :	Issued Date:	Revised Date:	Version:
Jenny	Jan. 22, 2024	Jan. 22, 2024	2

End of Safety Data Sheet

	Pantone number	AP number	Reception sample date	SO#	Description	Number to put on top of each pot					
						907083	907084	907085	907086	907087	907088
 368C	368C	AP015	W2	SO_0000000182	GREEN ACRYLIC PAINT AP015	-	-	4	-	-	-
 355C	355C	AP083	W50	SO_0000000183	GREEN ACRYLIC PAINT AP083	-	-	5	-	10	9
 349C	349C	AP018	W50	SO_0000000184	GREEN ACRYLIC PAINT AP018	-	-	6	-	9	10
 200C	200C	AP002	W50	SO_0000000185	GREEN ACRYLIC PAINT AP002	-	-	-	-	3	3
 172C	172C	AP008	W50	SO_0000000186	GREEN ACRYLIC PAINT AP008	4	4	3	-	-	-
 1495C	1495C	AP010	W50	SO_0000000187	GREEN ACRYLIC PAINT AP010	3	3	2	-	2 (x2)	2
 115C	115C	AP011	W50	SO_0000000188	GREEN ACRYLIC PAINT AP011	2	2	1	1	1	1
 631C	631C	AP084	W2	SO_0000000189	GREEN ACRYLIC PAINT AP084	9	9	7	4	-	7
 266C	266C	AP026	W50	SO_0000000190	GREEN ACRYLIC PAINT AP026	10	10	8	5	-	8
 2617C	2617C	AP027	W50	SO_0000000191	GREEN ACRYLIC PAINT AP027	12	12	9	6	-	-
 7706C	7706C	AP019	W2	SO_0000000192	GREEN ACRYLIC PAINT AP019	-	-	-	9	-	-
 2935C	2935C	AP021	W2	SO_0000000193	GREEN ACRYLIC PAINT AP021	-	-	-	8	-	-
 311C	311C	AP023	W2	SO_0000000194	GREEN ACRYLIC PAINT AP023	-	-	-	7	-	-
 2240C	2240C	AP016	W50	SO_0000000195	GREEN ACRYLIC PAINT AP016	11	11	-	-	-	-
 940C	940C	AP007	W2	SO_0000000196	GREEN ACRYLIC PAINT AP007	5	5	-	-	6	6
 190C	190C	AP005	W50	SO_0000000197	GREEN ACRYLIC PAINT AP005	6	6	-	-	-	-
 237C	237C	AP085	W50	SO_0000000198	GREEN ACRYLIC PAINT AP085	-	-	-	2	-	-
 2353C	2353C	AP004	W2	SO_0000000199	GREEN ACRYLIC PAINT AP004	7	7	-	3	4	4
 7507C	7507C	AP030-J	W2	SO_0000000200	GREEN ACRYLIC PAINT AP030-J	-	-	-	-	11	11
 7567C	7567C	AP031	W50	SO_0000000201	GREEN ACRYLIC PAINT AP031	-	-	-	-	8	-
 2048C	2048C	AP003	W50	SO_0000000202	GREEN ACRYLIC PAINT AP003	8	8	-	-	-	-
 BLACK		AP034	W50	SO_0000000203	GREEN ACRYLIC PAINT AP034	-	-	11 (x2)	11 (x2)	7	12
WHITE		AP033	W6	SO_0000000204	GREEN ACRYLIC PAINT AP033	1	1	10	10	5	5