

SDS Report

No.: CANMLC2006625701

Date: 13 May 2020

Page 1 of 1

XIAMEN PAINTING COLOR ART SUPPLIES CO., LTD.
NO. 47, ZHENNAN 7TH ROAD, TONG'AN DISTRICT, XIAMEN

SGS Job No. : XMIN2005003320CM
Sample Name : Acrylic Paint
End Uses : Painting
Composition/Ingredient of sample (as per client submission) : See section 3 Composition/information on ingredients on the SDS report
Job Receiving Date : 08 May 2020
SDS Preparation Period : 08 May 2020-13 May 2020

Service Requested : Safety Data Sheet (SDS) for the sample with submitted composition.

Summary : As per request, the contents and formats of the SDS are prepared in accordance with European Commission Regulation (EC) No 1907/2006, Regulation (EC) No 1272/2008 and Regulation (EU) No 2015/830, and is provided per attached.

Remark:

The SDS is prepared based on the information provided by client.

Signed for and on behalf of
SGS-CSTC Standards Technical Services Co., Ltd. Guangzhou Branch

Zmguan

Zm guan
Approved Signatory



SGS-CSTC Standards Technical Services Co., Ltd.
Guangzhou Branch Testing Center Chemical Laboratory

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

198 Kazhu Road, Science Park Guangzhou Economic & Technology Development District, Guangzhou, China 510663 t (86-20) 82155555 f (86-20) 82075113 www.sgs.com.cn
中国·广州·经济技术开发区科学城科珠路198号 邮编: 510663 t (86-20) 82155555 f (86-20) 82075113 e sgs.china@sgs.com

Member of the SGS Group (SGS SA)

Safety data sheet

Regulation (EC) No. 1907/2006 and 1272/2008

Printing date 13.05.2020

Version number 1

Revision: 08.05.2020

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- **1.1 Product identifier**
- **Trade name:** Acrylic Paint
- **1.2 Relevant identified uses of the substance or mixture and uses advised against**
- **Application of the substance / the mixture:** *Painting*
- **1.3 Details of the supplier of the safety data sheet**
- **Manufacturer / Supplier:** XIAMEN PAINTING COLOR ART SUPPLIES CO., LTD.
- **Full address:** NO. 47, ZHENNAN 7TH ROAD, TONG'AN DISTRICT, XIAMEN
- **Phone number:** 0592-5284233
- **Email:** 372066032@qq.com
- **Only Representative / other EU contact point:** *Not available*
- **Further information obtainable from:** XIAMEN PAINTING COLOR ART SUPPLIES CO., LTD.
- **1.4 Emergency telephone number:**
GERMANY
Poison Center Berlin - Institute of Toxicology
Tel: +49 030 192 40
- **1.5 Reference Number:** CANMLC2006625701,XMIN2005003320CM

SECTION 2: Hazards identification

- **2.1 Classification of the substance or mixture**
- **Classification according to Regulation (EC) No 1272/2008**
The product is not classified according to the CLP regulation.
- **Information concerning particular hazards for human and environment:**
The product has not to be labelled due to the calculation procedure of Regulation (EC) No. 1272/2008.
- **Classification system:**
The classification is according to the latest edition of EU Regulation (EC) No. 1272/2008, and extended by company and literature data.
- **2.2 Label elements**
- **Labelling according to Regulation (EC) No. 1272/2008** *Void*
- **Hazard pictograms** *Void*
- **Signal word** *Void*
- **Hazard statements** *Void*
- **2.3 Other hazards:**
- **Results of PBT and vPvB assessment**
- **PBT:** *Not applicable.*
- **vPvB:** *Not applicable.*

SECTION 3: Composition/information on ingredients

- **3.2 Mixtures**
- **Description:**
Mixture of the substances listed below with nonhazardous additions.
For the wording of the listed hazard statements refer to section 16.

- **Composition:**

CAS: 7732-18-5 EINECS: 231-791-2	Water	38.08%
CAS: 13463-67-7 EINECS: 236-675-5	titanium dioxide substance with a Community workplace exposure limit	31.28%
CAS: 9003-01-4	2-Propenoic acid, Homopolymer	18.64%

(Contd. on page 2)

EU

Safety data sheet

Regulation (EC) No. 1907/2006 and 1272/2008

Printing date 13.05.2020

Version number 1

Revision: 08.05.2020

Trade name: Acrylic Paint

(Contd. of page 1)

CAS: 7727-43-7 EINECS: 231-784-4	Barium sulfate substance with a Community workplace exposure limit	7.82%
CAS: 57-55-6 EINECS: 200-338-0	Propane-1,2-diol substance with a Community workplace exposure limit	3.19%
CAS: 124-68-5 EINECS: 204-709-8 Index number: 603-070-00-6	2-amino-2-methylpropanol ⚠ Skin Irrit. 2, H315; Eye Irrit. 2, H319; Aquatic Chronic 3, H412	0.86%
CAS: 52-51-7 EINECS: 200-143-0 Index number: 603-085-00-8	bronopol (INN) ⚠ Eye Dam. 1, H318; ⚠ Aquatic Acute 1, H400; ⚠ Acute Tox. 4, H302; Acute Tox. 4, H312; Skin Irrit. 2, H315; STOT SE 3, H335	0.13%

SECTION 4: First aid measures

- **4.1 Description of first aid measures**
- **General description:** No special measures required.
- **After inhalation:** Supply fresh air; consult doctor in case of complaints.
- **After skin contact:** Generally the product does not irritate the skin.
- **After eye contact:** Rinse opened eye for several minutes under running water.
- **After swallowing:** If symptoms persist consult doctor.
- **4.2 Most important symptoms and effects, both acute and delayed:**
No further relevant information available.
- **4.3 Indication of any immediate medical attention and special treatment needed:**
No further relevant information available.

SECTION 5: Firefighting measures

- **5.1 Extinguishing media**
- **Suitable extinguishing agents:** Use fire extinguishing methods suitable to surrounding conditions.
- **5.2 Special hazards arising from the substance or mixture:** No further relevant information available.
- **5.3 Advice for firefighters**
- **Protective equipment:** No special measures required.

SECTION 6: Accidental release measures

- **6.1 Personal precautions, protective equipment and emergency procedures:** Not required.
- **6.2 Environmental precautions:** Do not allow to enter sewers/ surface or ground water.
- **6.3 Methods and material for containment and cleaning up:**
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
- **6.4 Reference to other sections:**
See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

SECTION 7: Handling and storage

- **7.1 Precautions for safe handling:**
No special measures required.
For the general occupational hygienic measures refer to Section 8.
- **Information about fire - and explosion protection:** No special measures required.

(Contd. on page 3)

EU

Safety data sheet

Regulation (EC) No. 1907/2006 and 1272/2008

Printing date 13.05.2020

Version number 1

Revision: 08.05.2020

Trade name: Acrylic Paint

(Contd. of page 2)

- **7.2 Conditions for safe storage, including any incompatibilities**
- **Requirements to be met by storerooms and receptacles:** No special requirements.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:** None.
- **7.3 Specific end use(s):** No further relevant information available.

SECTION 8: Exposure controls/personal protection

· 8.1 Control parameters

· **Ingredients with limit values that require monitoring at the workplace:**

13463-67-7 titanium dioxide (31.28%)

WEL (Great Britain)	Long-term value: 10* 4** mg/m ³ *total inhalable **respirable
AGW (Germany)	Long-term value: 1.25* 10** mg/m ³ 2(II); *alveolengängig **eintembar; AGS, DFG
VME (France)	Long-term value: 10 mg/m ³

7727-43-7 Barium sulfate (7.82%)

WEL (Great Britain)	Long-term value: 10* 4** mg/m ³ *inhalable dust **respirable dust
AGW (Germany)	Long-term value: 1.25* 10** mg/m ³ 2(II); *alveolengängig **eintembar; AGS, DFG

57-55-6 Propane-1,2-diol (3.19%)

WEL (Great Britain)	Long-term value: 474* 10** mg/m ³ , 150* ppm *total vapour and particulates **particulates
MAK (Germany)	als Dampf und Aerosol; vgl. Abschn. IIb und Xc

124-68-5 2-amino-2-methylpropanol (0.86%)

AGW (Germany)	Long-term value: 3.7 mg/m ³ , 1 ppm 2(II); DFG, H, Y, 11
---------------	--

52-51-7 bronopol (INN) (0.13%)

MAK (Germany)	vgl. Abschn. IIb und Xc
---------------	-------------------------

· **Regulatory information**

WEL (Great Britain): EH40/2018
 AGW (Germany): TRGS 900
 VME (France): ED 984, 10.2016
 MAK (Germany): MAK- und BAT-Liste

· **DNELs:** Not available

· **PNECs:** Not available

· **Additional information:** The lists valid during the making were used as basis.

· 8.2 Exposure controls

Based on the composition shown in Section 3, the following measures are suggested for occupational safety measure.

· **Appropriate engineering controls:** See Section 7 for information about design of technical facilities.

· **Personal protective equipment**

· **Respiratory protection:** Not required.

· **Protection of hands:**



Protective gloves

(Contd. on page 4)

EU

Safety data sheet

Regulation (EC) No. 1907/2006 and 1272/2008

Printing date 13.05.2020

Version number 1

Revision: 08.05.2020

Trade name: Acrylic Paint

(Contd. of page 3)

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation.

· **Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· **Penetration time of glove material:**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· **Eye protection:** Goggles recommended during refilling

· **Environmental exposure controls:**

Control measures must be made in accordance with Community environmental protection legislation.

SECTION 9: Physical and chemical properties

· **9.1 Information on basic physical and chemical properties**

· **Appearance**

Form: Paste

Colour: White

· **Odour:** Odourless

· **Odour threshold:** Not available

· **pH-value:** Not available

· **Change in condition**

Melting point/Freezing point: Not available

Initial boiling point and boiling range: Not available

· **Flash point:** Not available

· **Flammability (solid, gas):** Not available

· **Auto-ignition temperature:** Not available

· **Decomposition temperature:** Not available

· **Self-igniting:** Product is not selfigniting.

· **Explosive properties:** Product does not present an explosion hazard.

· **Explosion limits**

Lower: Not available

Upper: Not available

· **Oxidising properties:** Not available

· **Vapour pressure:** Not available

· **Density:** Not available

· **Relative density:** Not available

· **Vapour density:** Not available

· **Evaporation rate:** Not available

· **Solubility in / Miscibility with water:**

Not available

· **Partition coefficient: n-octanol/water:** Not available

· **Viscosity**

Dynamic: Not available

(Contd. on page 5)

EU

Safety data sheet

Regulation (EC) No. 1907/2006 and 1272/2008

Printing date 13.05.2020

Version number 1

Revision: 08.05.2020

Trade name: Acrylic Paint

(Contd. of page 4)

Kinematic: Not available· **9.2 Other information** No further relevant information available.

SECTION 10: Stability and reactivity

- **10.1 Reactivity:** Data not available
- **10.2 Chemical stability:** Data not available
- **10.3 Possibility of hazardous reactions:** No dangerous reactions known.
- **10.4 Conditions to avoid:** No further relevant information available.
- **10.5 Incompatible materials:** No further relevant information available.
- **10.6 Hazardous decomposition products:** No dangerous decomposition products known.

SECTION 11: Toxicological information

- **11.1 Information on toxicological effects**
- **Acute toxicity** Based on available data, the classification criteria are not met.

· **LD/LC50 values relevant for classification:**

13463-67-7 titanium dioxide

Oral	LD50	>20,000 mg/kg (rat)
Dermal	LD50	>10,000 mg/kg (rabbit)

57-55-6 Propane-1,2-diol

Oral	LD50	20,000 mg/kg (rat)
Dermal	LD50	20,800 mg/kg (rabbit)

52-51-7 bronopol (INN)

Oral	LD50	305 mg/kg (rat)
------	------	-----------------

- **Skin corrosion/irritation:** Based on available data, the classification criteria are not met.
- **Serious eye damage/irritation:** Based on available data, the classification criteria are not met.
- **Respiratory or skin sensitization:** Based on available data, the classification criteria are not met.
- **Germ cell mutagenicity** Based on available data, the classification criteria are not met.
- **Carcinogenicity** Based on available data, the classification criteria are not met.
- **Reproductive toxicity** Based on available data, the classification criteria are not met.
- **STOT-single exposure** Based on available data, the classification criteria are not met.
- **STOT-repeated exposure** Based on available data, the classification criteria are not met.
- **Aspiration hazard** Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

- **12.1 Toxicity**
- **Aquatic toxicity:** No further relevant information available.
- **12.2 Persistence and degradability:** No further relevant information available.
- **12.3 Bioaccumulative potential:** No further relevant information available.
- **12.4 Mobility in soil:** No further relevant information available.
- **12.5 Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

(Contd. on page 6)

EU

Safety data sheet

Regulation (EC) No. 1907/2006 and 1272/2008

Printing date 13.05.2020

Version number 1

Revision: 08.05.2020

Trade name: Acrylic Paint

(Contd. of page 5)

- **12.6 Other adverse effects** No further relevant information available.
- **12.7 Additional ecological information:**
- **General notes:**
 Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water
 Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

SECTION 13: Disposal considerations

- **13.1 Waste treatment methods**
- **Recommendation:** Smaller quantities can be disposed of with household waste.
- **Uncleaned packaging**
- **Recommendation:** Disposal must be made according to official regulations.

SECTION 14: Transport information

- | | |
|--|--|
| · 14.1 UN-Number | |
| · ADR/RID/ADN, IMDG, IATA | Not applicable |
| · 14.2 UN proper shipping name | |
| · ADR/RID/ADN, IMDG, IATA | Not applicable |
| · 14.3 Transport hazard class(es) | |
| · ADR/RID/ADN, IMDG, IATA | |
| · Class | Not applicable |
| · Label | - |
| · 14.4 Packing group | |
| · ADR/RID/ADN, IMDG, IATA | Not applicable |
| · 14.5 Environmental hazards | |
| · Marine pollutant: | No |
| · 14.6 Special precautions for user: | Not applicable |
| · Danger code (Kemler): | - |
| · 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code | Not applicable |
| · 14.8 Transport/Additional information: | Not dangerous according to the above specifications. |
| · UN "Model Regulation": | Void |

SECTION 15: Regulatory information

- **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

- **MAK(German Maximum Workplace Concentration)**

13463-67-7 titanium dioxide

3A

- **Directive 2012/18/EU**
- **Named dangerous substances - ANNEX I** None of the ingredients is listed.
- **Seveso category** Not applicable
- **Qualifying quantity (tonnes) for the application of lower-tier requirements** Not applicable
- **Qualifying quantity (tonnes) for the application of upper-tier requirements** Not applicable

(Contd. on page 7)

EU

Safety data sheet

Regulation (EC) No. 1907/2006 and 1272/2008

Printing date 13.05.2020

Version number 1

Revision: 08.05.2020

Trade name: Acrylic Paint

(Contd. of page 6)

- **National regulations:**
- **Waterhazard class:** Water hazard class 1 (Self-assessment): slightly hazardous for water.
- **Other regulations, limitations and prohibitive regulations**
- **SVHC Candidate List of REACH Regulation Annex XIV Authorisation (16/1/2020)**
None of the ingredients is listed
- **REACH Regulation Annex XVII Restriction (20/06/2019)**
See Section 16 for information about restriction of use.
None of the ingredients is listed
- **REACH Regulation Annex XIV Authorisation List (13/6/2017)**
None of the ingredients is listed
- **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

- **Relevant hazard statements**
H302 Harmful if swallowed.
H312 Harmful in contact with skin.
H315 Causes skin irritation.
H318 Causes serious eye damage.
H319 Causes serious eye irritation.
H335 May cause respiratory irritation.
H400 Very toxic to aquatic life.
H412 Harmful to aquatic life with long lasting effects.
- *****
The contents and format of this SDS are in accordance with Regulation (EC) No 1907/2006, 1272/2008 and Regulation (EU) No 2015/830.
- DISCLAIMER OF LIABILITY**
The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reason, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This SDS was prepared and is to be used only for this product. If the product is used as a component in another product, this SDS information may not be applicable.
- **Abbreviations and acronyms:**
ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods
IATA: International Air Transport Association
GHS: Globally Harmonised System of Classification and Labelling of Chemicals
EINECS: European Inventory of Existing Commercial Chemical Substances
ELINCS: European List of Notified Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)
DNEL: Derived No-Effect Level (REACH)
PNEC: Predicted No-Effect Concentration (REACH)
LC50: Lethal concentration, 50 percent
LD50: Lethal dose, 50 percent
PBT: Persistent, Bioaccumulative and Toxic
vPvB: very Persistent and very Bioaccumulative
Acute Tox. 4: Acute toxicity – Category 4
Skin Irrit. 2: Skin corrosion/irritation – Category 2
Eye Dam. 1: Serious eye damage/eye irritation – Category 1
Eye Irrit. 2: Serious eye damage/eye irritation – Category 2
STOT SE 3: Specific target organ toxicity (single exposure) – Category 3
Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1
Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3

(Contd. on page 8)

EU

Safety data sheet
Regulation (EC) No. 1907/2006 and 1272/2008

Printing date 13.05.2020

Version number 1

Revision: 08.05.2020

Trade name: Acrylic Paint

(Contd. of page 7)

. *****

End of document

EU